Contents

Number 1 January 1995

1 **Editorial**

3 **Starch branching enzymes belonging to distinct enzyme families are differentially expressed during pea embryo development.** *R.A. Burton, J.D. Bewley, A.M. Smith, M.K. Bhattacharyya, H. Tatge, S. Ring, V. Bull, W.D.O. Hamilton and C. Martin*

17 **Dynamic microtubules under the radial and outer tangential walls of microinjected pea epidermal cells observed by computer reconstruction.** *M. Yuan, R.M. Warn, P.J. Shaw and C.W. Lloyd*

25 **Arabinogalactan proteins in maize coleoptiles: developmental relationship to cell death during xylem differentiation but not to extension growth.** *T. Schindler, R. Bergfeld and P. Schopfer*

37 **Induction kinetics of the nuclear proteins encoded by the early indoleacetic acid-inducible genes, *PS-IAA4/5* and *PS-IAA6*, in pea (*Pisum sativum* L.).** *P.W. Oeller and A. Theologis*

49 **The gene for the major cuticular wax-associated protein and three homologous genes from broccoli (*Brassica oleracea*) and their expression patterns.** *J. Pyee and P.E. Kolattukudy*

61 **The aspartate aminotransferase gene family of *Arabidopsis* encodes isoenzymes localized to three distinct subcellular compartments.** *C.J. Schultz and G.M. Coruzzi*

77 **Control of *de novo* purine biosynthesis genes in ureide-producing legumes: induction of glutamine phosphoribosylpyrophosphate amidotransferase gene and characterization of its cDNA from soybean and *Vigna*.** *J.H. Kim, A.J. Delauney and D.P.S. Verma*

87 **The blue light-responsive *AthH2* gene of *Arabidopsis thaliana* is primarily expressed in expanding as well as in differentiating cells and encodes a putative channel protein of the plasmalemma.** *R. Kaldenhoff, A. Kölling, J. Meyers, U. Karmann, G. Ruppel and G. Richter*

97 **Evidence of the crucial role of sucrose synthase for sink strength using transgenic potato plants (*Solanum tuberosum* L.).** *R. Zrenner, M. Salanoubat, L. Willmitzer and U. Sonnewald*

109 **Targeted recombination in plants using *Agrobacterium* coincides with additional rearrangements at the target locus.** *E. Risseeuw, R. Offringa, M.E.I. Franke-van Dijk and P.J.J. Hooykaas*

121 SHORT COMMUNICATION
Signalling potential of iron in plant–microbe interactions: the pathogenic switch of iron transport in *Erwinia chrysanthemi*. *C. Masclaux and D. Expert*

129 SHORT COMMUNICATION
ABA-regulated promoter activity in stomatal guard cells. *J.E. Taylor, K.F. Renwick, A.A.R. Webb, M.R. McAinsh, A. Furini, D. Bartels, R.S. Quatrano, W.R. Marcotte Jr. and A.M. Hetherington*

135 SHORT COMMUNICATION
Cell-to-cell movement of potato virus X revealed by microinjection of a viral vector tagged with the β-glucuronidase gene. *S.M. Angell and D.C. Baulcombe*

141 SHORT COMMUNICATION
Regulation of glutathione synthesis in leaves of transgenic poplar (*Populus tremula* x *P. alba*) overexpressing glutathione synthetase. *M. Strohm, L. Jouanin, K.J. Kunert, C. Pruvost, A. Polle, C.H. Foyer, and H. Rennenberg*

147 SHORT COMMUNICATION
A 20 bp *cis*-acting element is both necessary and sufficient to mediate elicitor response of a maize *PRms* gene. *D. Raventós, A.B. Jensen, M.-B. Rask, J.M. Casacuberta, J. Mundy and B. San Segundo*

157 SHORT COMMUNICATION
DNA rearrangement associated with the integration of T-DNA in tobacco: an example for multiple duplications of DNA around the integration target. *T. Ohba, Y. Yoshioka, C. Machida and Y. Machida*

165 TECHNICAL ADVANCE
Brij 58, a polyoxyethylene acyl ether, creates membrane vesicles of uniform sidedness. A new tool to obtain inside-out (cytoplasmic side-out) plasma membrane vesicles. *F. Johansson, M. Olbe, M. Sommarin and C. Larsson*

175 TECHNICAL ADVANCE
Preparation of megabase-size DNA from plant nuclei. *H.-B. Zhang, X. Zhao, X. Ding, A.H. Paterson and R.A. Wing*

Number 2 February 1995

185 MINI-REVIEW
Plant chromosomal high mobility group (HMG) proteins. *K.D. Grasser*

193 **Arrangement of cell layers in the shoot apical meristems of periclinal chimeras influences cell fate.** *M. Marcotrigiano and R. Bernatzky*

203 **Induction of intrachromosomal homologous recombination in whole plants.** *H. Puchta, P. Swoboda and B. Hohn*

211 **The *axr4* auxin-resistant mutants of *Arabidopsis thaliana* define a gene important for root gravitropism and lateral root initiation.** *L. Hobbie and M. Estelle*

221 **Comparison of the effects of N^6-methyldeoxyadenosine and N^5-methyldeoxycytosine on transcription from nuclear gene promoters in barley.** *J.C. Rogers and S.W. Rogers*

235 **Molecular characterization of proteins in protein-body membrane that disappear most rapidly during transformation of protein bodies into vacuoles.** *K. Inoue, A. Motozaki, Y. Takeuchi, M. Nishimura and I. Hara-Nishimura*

245 **Cell cycle-regulated histone gene expression in synchronized plant cells.** *J.-P. Reichheld, S. Sonobe, B. Clément, N. Chaubet and C. Gigot*

253 **Characterization of a binding site for chemically synthesized lipo-oligosaccharidic NodRm factors in particulate fractions prepared from roots.** *J.-J. Bono, J. Riond, K.C. Nicolaou, N.J. Bockovich, V.A. Estevez, J.V. Cullimore and R. Ranjeva*

261 **T-DNA tagging of genes influencing polyamine metabolism: isolation of mutant plant lines and rescue of DNA promoting growth in the presence of a polyamine biosynthetic inhibitor.** *K. Fritze, I. Czaja and R. Walden*

273 **Use of RFLPs larger than 100 kbp to map the position and internal organization of the nucleolus organizer region on chromosome 2 in *Arabidopsis thaliana*.** *G.P. Copenhaver, J.H. Doelling, J.S. Gens and C.S. Pikaard*

287 **Post-transcriptional regulation of gene expression in oxygen-deprived roots of maize.** *S.L. Fennoy and J. Bailey-Serres*

297 **Involvement of Ca^{2+} signalling in the sugar-inducible expression of genes coding for sporamin and β-amylase of sweet potato.** *M. Ohto, K. Hayashi, M. Isobe and K. Nakamura*

309 **Differential *in vitro* DNA binding activity to a promoter element of the *gn1* β-1,3-glucanase gene in hypersensitively reacting tobacco plants.** *E. Alonso, F. de Carvalho Niebel, P. Obregón, G. Gheysen, D. Inzé, M. Van Montagu and C. Castresana*

321 **Expression of a cloned plant K^+ channel in *Xenopus* oocytes: analysis of macroscopic currents.** *A.-A. Véry, F. Gaymard, C. Bosseux, H. Sentenac and J.B. Thibaud*

333 SHORT COMMUNICATION
Altered regulation of tomato and tobacco pigmentation genes caused by the *delila* gene of *Antirrhinum*. *M. Mooney, T. Desnos, K. Harrison, J. Jones, R. Carpenter and E. Coen*

341 TECHNICAL ADVANCE
Saturating the genetic map of *Arabidopsis thaliana* with embryonic mutations. *L.H. Franzmann, E.S. Yoon and D.W. Meinke*

351 TECHNICAL ADVANCE
Generation of a high-quality P1 library of *Arabidopsis* suitable for chromosome walking. *Y.-G. Liu, N. Mitsukawa, A. Vazquez-Tello and R.F. Whittier*

359 TECHNICAL ADVANCE
Targeted disruption of the TGA3 locus in *Arabidopsis thaliana*. *Z.-H. Miao and E. Lam*

Number 3 March 1995

367 MINI-REVIEW
Molecular evolution of plant β-glucan endohydrolases. *P.B. Høj and G.B. Fincher*

381 **Systemin induces rapid ion fluxes and ethylene biosynthesis in *Lycopersicon peruvianum* cells**. *G. Felix and T. Boller*

391 **Three families of thiol peptides are induced by cadmium in maize**. *P. Meuwly, P. Thibault, A.L. Schwan and W.E. Rauser*

401 **A constituent of the chloroplast import complex represents a new type of GTP-binding protein**. *M. Seedorf, K. Waegemann and J. Soll*

413 **Temporal and spatial expression patterns of *PHYA* and *PHYB* genes in *Arabidopsis***. *D.E. Somers and P.H. Quail*

429 **Characterization of the *S* locus genes, *SLG* and *SRK*, of the *Brassica* S_2 haplotype: identification of a membrane-localized protein encoded by the *S* locus receptor kinase gene**. *V. Delorme, J.-L. Giranton, Y. Hatzfeld, A. Friry, P. Heizmann, M.J. Ariza, C. Dumas, T. Gaude and J.M. Cock*

441 **One of three nuclear localization signals of maize *Activator* (*Ac*) transposase overlaps the DNA-binding domain**. *U. Boehm, M. Heinlein, U. Behrens and R. Kunze*

453 **A mutant of *Arabidopsis thaliana* displaying altered patterns of cellulose deposition**. *T. Potikha and D.P. Delmer*

461 **Carbon metabolism in leaves of transgenic tobacco (*Nicotiana tabacum* L.) containing elevated fructose 2,6-bisphosphate levels**. *P. Scott, A.J. Lange, S.J. Pilkis and N.J. Kruger*

471 **Distinct CG and CNG DNA methyltransferases in *Pisum sativum***. *S. Pradhan and R.L.P. Adams*

483 **Delayed leaf senescence in ethylene-deficient ACC-oxidase antisense tomato plants: molecular and physiological analysis**. *I. John, R. Drake, A. Farrell, W. Cooper, P. Lee, P. Horton and D. Grierson*

491 **Purification and cDNA cloning of anthranilate synthase from *Ruta graveolens*: modes of expression and properties of native and recombinant enzymes**. *J. Bohlmann, V. DeLuca, U. Eilert and W. Martin*

503 **Chromosomal integration is required for spatial regulation of expression from the β-phaseolin promoter**. *D.A. Frisch, A.H.M. van der Geest, K. Dias and T.C. Hall*

513 **Genetic regulation of gibberellin deactivation in *Pisum***. *J.J. Ross, J.B. Reid, S.M. Swain, O. Hasan, A.T. Poole, P. Hedden and C.L. Willis*

525 TECHNICAL ADVANCE
Construction of a rice bacterial artificial chromosome library and identification of clones linked to the *Xa-21* disease resistance locus. *G.-L. Wang, T.E. Holsten, W.-Y. Song, H.-P. Wang and P.C. Ronald*

Number 4 April 1995

535 **Reduction in phosphoribulokinase activity by antisense RNA in transgenic tobacco: effect on CO_2 assimilation and growth in low irradiance.** *M.J. Paul, J.S. Knight, D. Habash, M.A.J. Parry, D.W. Lawlor, S.A. Barnes, A. Loynes and J.C. Gray*

543 ***Arabidopsis* late-flowering *fve* mutants are affected in both vegetative and reproductive development.** *J.M. Martínez-Zapater, J.A. Jarillo, M. Cruz-Alvarez, M. Roldán and J. Salinas*

553 **Characterization and partial purification of two pre-tRNA 5′-processing activities from *Daucus carrota* (carrot) suspension cells.** *S.E. Franklin, M.G. Zwick and J.D. Johnson*

565 **ABA-induced ion efflux in stomatal guard cells: multiple actions of ABA inside and outside the cell.** *E.A.C. MacRobbie*

577 **Feedback inhibition of fatty acid synthesis in tobacco suspension cells.** *D.K. Shintani and J.B. Ohlrogge*

589 **Characterization of a maize G-box binding factor that is induced by hypoxia.** *N.C. de Vetten and R.J. Ferl*

603 **Genetic dissection of the co-expression of genes encoding the two isoforms of oleosins in the oil bodies of maize kernel.** *K. Lee, C. Ratnayake and A.H.C. Huang*

613 **The amylose content in rice endosperm is related to the post-transcriptional regulation of the *waxy* gene.** *Z.-Y. Wang, F.-Q. Zheng, G.-Z. Shen, J.-P. Gao, D.P. Snustad, M.-G. Li, J.-L. Zhang and M.-M. Hong*

623 **Gibberellin promotes histone H1 kinase activity and the expression of *cdc2* and cyclin genes during the induction of rapid growth in deepwater rice internodes.** *M. Sauter, S.L. Mekhedov and H. Kende*

633 **The intravacuolar organic matrix associated with calcium oxalate crystals in leaves of *Vitis*.** *M.A. Webb, J.M. Cavaletto, N.C. Carpita, L.E. Lopez and H.J. Arnott*

649 **Site-specific integration of DNA into wild-type and mutant *lox* sites placed in the plant genome.** *H. Albert, E.C. Dale, E. Lee and D.W. Ow*

661 TECHNICAL ADVANCE
Strength and tissue specificity of chimeric promoters derived from the octopine and mannopine synthase genes. *M. Ni, D. Cui, J. Einstein, S. Narasimhulu, C.E. Vergara and S.B. Gelvin*

677 TECHNICAL ADVANCE
A general method to isolate genes tagged by a high copy number transposable element. *E. Souer, F. Quattrocchio, N. de Vetten, J. Mol and R. Koes*

687 TECHNICAL ADVANCE
A system for insertional mutagenesis and chromosomal rearrangement using the Ds transposon and Cre-*lox*. *B.I. Osborne, U. Wirtz and B. Baker*

Number 5 May 1995

703 **Flavanone 3-hydroxylase transcripts and flavonol accumulation are temporally coordinate in maize anthers.** *G.B. Deboo, M.C. Albertsen and L.P. Taylor*

715 **Spatial and temporal pattern of light-regulated gene expression during tobacco seedling development: the photosystem II-related genes *Lhcb* (*Cab*) and *PsbP* (*Oee2*).** *T. Kretsch, K. Emmler and E. Schäfer*

731 **Wild-type ovule development in *Arabidopsis thaliana*: a light microscope study of cleared whole-mount tissue.** *K. Schneitz, M. Hülskamp and R.E. Pruitt*

751 **Correlation between the induction of a gene for Δ^1-pyrroline-5-carboxylate synthetase and the accumulation of proline in *Arabidopsis thaliana* under osmotic stress.** *Y. Yoshiba, T. Kiyosue, T. Katagiri, H. Ueda, T. Mizoguchi, K. Yamaguchi-Shinozaki, K. Wada, Y. Harada and K. Shinozaki*

761 **Functional expression of *Saccharomyces cerevisiae CYP51A1* encoding lanosterol-14-demethylase in tobacco results in bypass of endogenous sterol biosynthetic pathway and resistance to an obtusifoliol-14-demethylase herbicide inhibitor.** *B. Grausem, N. Chaubet, C. Gigot, J.C. Loper and P. Benveniste*

771 **Co-expression of native and introduced genes reveals cryptic regulation of HMG CoA reductase expression in *Arabidopsis*.** *E.B. Re, D. Jones and R.M. Learned*

785 **A mutation affecting etiolation and cell elongation in *Nicotiana plumbaginifolia* causes abnormal division plane alignment and pattern formation in the root meristem.** *J. Traas, P. Laufs, M. Jullien and M. Caboche*

797 **Tissue-specific DNase I-sensitive sites of the maize *P* gene and their changes upon epimutation.** *G. Lund, O.P. Das and J. Messing*

809 **An aldose reductase homologous gene from barley: regulation and function.** *R. Roncarati, F. Salamini and D. Bartels*

823 **A novel *Arabidopsis* type 1 protein phosphatase is highly expressed in male and female tissues and functionally complements a conditional cell cycle mutant of *Aspergillus*.** *A. Arundhati, H. Feiler, J. Traas, H. Zhang, P.A. Lunness and J.H. Doonan*

835 **Effects of ABA on $^{86}Rb^+$ fluxes at plasmalemma and tonoplast of stomatal guard cells.** *E.A.C. MacRobbie*

845 SHORT COMMUNICATION
Expression of a chimeric *uidA* gene indicates that polycistronic mRNAs are efficiently translated in tobacco plastids. *J.M. Staub and P. Maliga*

849 TECHNICAL ADVANCE
A novel Ti-plasmid-convertible λ phage vector system suitable for gene isolation by genetic complementation of *Arabidopsis thaliana* mutants. *T. Fuse, H. Kodama, N. Hayashida, K. Shinozaki, M. Nishimura and K. Iba*

857 **Erratum concerning Volume 7, Number 3, March 1995, pages 391–400, Meuwly *et al.***

Number 6 June 1995

859 **Two classes of *cis* sequences contribute to tissue-specific expression of a *PAL2* promoter in transgenic tobacco.** *D. Hatton, R. Sablowski, M.-H. Yung, C. Smith, W. Schuch and M. Bevan*

877 **Two of three promoter elements identified in a rice gene for proliferating cell nuclear antigen are essential for meristematic tissue-specific expression.** *S. Kosugi, I. Suzuka and Y. Ohashi*

887 **Construction of a *trans*-dominant inhibitor for members of the TGA family of transcription factors conserved in higher plants.** *Z.-H. Miao and E. Lam*

897 ***Petunia hybrida* homologues of shaggy/zeste-white 3 expressed in female and male reproductive organs.** *V. Decroocq-Ferrant, J. Van Went, M.W. Bianchi, S.C. de Vries and M. Kreis*

913 **Regulation of the *Osem* gene by abscisic acid and the transcriptional activator VP1: analysis of *cis*-acting promoter elements required for regulation by abscisic acid and VP1.** *T. Hattori, T. Terada and S. Hamasuna*

927 **Alternative RNA products from a rice homeobox gene.** *M. Tamaoki, H. Tsugawa, E. Minami, T. Kayano, N. Yamamoto, Y. Kano-Murakami and M. Matsuoka*

939 **Nod signal-induced plasma membrane potential changes in alfalfa root hairs are differentially sensitive to structural modifications of the lipochitooligosaccharide.** *H.H. Felle, É. Kondorosi, Á. Kondorosi and M. Schultze*

949 **Jasmonate-induced lipoxygenase forms are localized in chloroplasts of barley leaves (*Hordeum vulgare* cv. Salome).** *I. Feussner, B. Hause, K. Vörös, B. Parthier and C. Wasternack*

959 **The effects of allelic variation at the *Mla* resistance locus in barley on the early development of *Erysiphe graminis* f.sp. *hordei* and host responses.** *L.A. Boyd, P.H. Smith, E.M. Foster and J.K.M. Brown*

969 **The regulatory regions of the rice tungro bacilliform virus promoter and interacting nuclear factors in rice (*Oryza sativa* L.).** *Y. Yin and R.N. Beachy*

981 **Tyrosine phosphatase signalling in a lower plant: cell-cycle and oxidative stress-regulated expression of the *Chlamydomonas eugametos VH-PTP13* gene.** *M.A. Haring, M. Siderius, C. Jonak, H. Hirt, K.M. Walton and A. Musgrave*

989 **Circadian regulation of the *Cat3* catalase gene in maize (*Zea mays* L.): entrainment of the circadian rhythm of *Cat3* by different light treatments.** *R. Boldt and J.G. Scandalios*

1001 **Homology-dependent resistance: transgenic virus resistance in plants related to homology-dependent gene silencing.** *E. Mueller, J. Gilbert, G. Davenport, G. Brigneti and D.C. Baulcombe*

1015 SHORT COMMUNICATION
The N-terminal extension of the ADP/ATP translocator is not involved in targeting to plant mitochondria *in vivo*. *T. Mozo, K. Fischer, U.I. Flügge and U.K. Schmitz*

1021 TECHNICAL ADVANCE
Accurate *in vitro* transcription from circularized plasmid templates by plant whole cell extracts. *Q. Zhu, J. Chappell, S.A. Hedrick and C. Lamb*

1031 TECHNICAL ADVANCE
Expression of recombinant *Renilla* luciferase in transgenic plants results in high levels of light emission. *R. Mayerhofer, W.H.R. Langridge, M.J. Cormier and A.A. Szalay*

1039 TECHNICAL ADVANCE
Primed *in situ* labelling facilitates flow sorting of similar sized chromosomes. *U. Pich, A. Meister, J. Macas, J. Doležel, S. Lucretti and I. Schubert*

1045 TECHNICAL ADVANCE
Jellyfish green fluorescent protein as a reporter for virus infections. *D.C. Baulcombe, S. Chapman and S. Santa Cruz*

1055 **Author index**

1061 **Subject index**